

Starch, Corn, Powder

(C₆H₁₀O₅)_n FW (162.15)n
CAS: 9005-84-9

86639-300	500 g	22.21	
86639-380	2 kg	35.65	
86639-780	40 kg	266.11	

Starch Indicator, 1% Solution, Acculate

Concentrate to prepare 1 L

86624-000	6X amp	81.15	
-----------	--------	-------	--

Starch Indicator, 2% Solution

Preserved with Salicylic Acid

86627-360	1 L	18.93	
86627-540	4 L	45.46	
86627-700	20L	165.48	

Stearic Acid, Lab-Grade

CH₃(CH₂)₁₆CO₂H FW 284.48
CAS: 57-11-4

86894-140	100 g	30.10	
-----------	-------	-------	--

Melting point67 - 69°C

Stoddard Solvent

CAS: 8052-41-3

86986-540	4 L	51.09	4X4 L	163.49
86986-700	20 L	146.20		

Strontium Standard, Atomic Absorption

87020-320	500 mL	46.75	
-----------	--------	-------	--

Actual Assay on the label

1000 µg/mL Sr (11.41 mmol. l⁻¹)

Traceable to NIST standards

Strontium Carbonate, Powder, Reagent

SrCO₃ FW 147.64
CAS: 1633-05-2

87078-140	100 g	27.94	
87078-300	500 g	92.44	6X500 g 443.74
87078-380	2 kg	263.77	

Specifications

Assay (SrCO ₃)98.5% min.
Aluminum (Al)0001% max.
Barium (Ba)0.1% max.
Calcium (Ca)0.05% max.
Chromium (Cr)1 ppm max.
Iron (Fe)5 ppm max.
Magnesium(Mg)0.001% max.
Nitrate (NO ₃)0.5% max.
Silicon (Si)0.001% max.

Strontium Chloride, Reagent, A.C.S.

SrCl₂ • 6H₂O FW 266.62
CAS: 10025-70-4

87124-300	500 g	147.58	6X500 g	708.57
-----------	-------	--------	---------	--------

A.C.S. Specifications

Assay (SrCl ₂ • 6H ₂ O)99.0 - 103.0%
pH of a 5% solution @ 25°C5.0 - 7.0
Insoluble matter0.005% max.
Sulfate (SO ₄)0.001% max.
Barium (Ba)0.05% max.
Calcium (Ca)0.05% max.
Magnesium (Mg)2 ppm max.
Heavy metals (as Pb)5 ppm max.
Iron (Fe)5 ppm max.