

Zinc, Reagent, A.C.S.

Zn				AW 65.39
CAS: 7440-66-6				
99486-300	500 g	85.37	6X500 g	409.71
99486-380	2 kg	234.18	6X2 kg	1123.94
99486-580	10 kg	723.90		

A.C.S. Specifications

Assay (Zn)99.8% min.
Suitability for determination of Arsenic (As)P.T.
Iron (Fe)0.01% max.
Lead (Pb)0.01% max.

Zinc, Dust, 325 Mesh

Zn				AW 65.39
CAS: 7440-66-6				
99546-300	500 g	35.76		
99546-380	2 kg	76.79		
99546-580	10 kg	220.17		

Zinc, Mossy, Reagent, A.C.S.

Zn				AW 65.39
CAS: 7440-66-6				
99522-300	500 g	70.01	6X500 g	336.00
99522-380	2 kg	493.93		

A.C.S. Specifications

Assay (Zn)99.8% min.
Suitability for determination of Arsenic (As)P.T.
Iron (Fe)0.01% max.
Lead (Pb)0.01% max.

Zinc, Shot, Reagent, A.C.S.

Zn				AW 65.39
CAS: 7440-66-6				
99498-300	500 g	39.62	6X500 g	190.04

A.C.S. Specifications

Assay (Zn)99.8% min.
Suitability for determination of Arsenic (As)P.T.
Iron (Fe)0.01% max.
Lead (Pb)0.01% max.

Zinc Standard, Atomic Absorption

97420-160	100 mL	18.12
97420-320	500 mL	46.75

Actual Assay on the label

1000 µg/mL Zn (15.29 mmol. 1⁻¹)
In dilute HNO₃

Traceable to NIST standards

Zinc Acetate, Crystals, Reagent, A.C.S.

(CH ₃ CO ₂) ₂ Zn • 2H ₂ O				FW 219.51
CAS: 5970-45-6				
97796-140	100 g	27.14		
97796-300	500 g	40.70	6X500 g	195.38
97796-380	2 kg	93.97		

A.C.S. Specifications

Assay [(CH ₃ CO ₂) ₂ Zn • 2H ₂ O]98.0 - 101.0%
pH of a 5% solution @ 25°C6.0 - 7.0
Insoluble matter0.005% max.
Chloride (Cl)5 ppm max.
Sulfate (SO ₄)0.005% max.
Calcium (Ca)0.005% max.
Magnesium (Mg)0.005% max.
Potassium (K)0.01% max.
Sodium (Na)0.05% max.
Iron (Fe)5 ppm max.
Lead (Pb)0.002% max.

Zinc Acetate, Volumetric Solution, 2 N

EDTA titration

For sulfide

APHA 4500-S²⁻-C

97806-360	1 L	36.11
-----------	-----	-------

Traceable to NIST standards