

Antimony Standard, Atomic Absorption

08030-160	100 mL	18.12	
08030-320	500 mL	46.75	

Actual Assay on the label

1000 µg/mL Sb (8.21 mmol l⁻¹)

In dilute HNO₃

Traceable to NIST standards

Antimony Potassium Tartrate, Lab-Grade

C₈H₄K₂O₁₂Sb₂ • 3H₂O FW 667.87
CAS: 28300-74-5

08096-300	500 g	136.45	6X500 g	655.14
-----------	-------	--------	---------	--------

Arsenic Standard, Atomic Absorption

08770-160	100 mL	18.12	
08770-320	500 mL	46.75	

Actual Assay on the label

1000 µg/mL As (13.35 mmol l⁻¹)

In dilute HNO₃

Traceable to NIST standards

Arsenic Trioxide, Reagent, A.C.S.

As₂O₃ FW 197.84
CAS 1327-53-3

08832-140	100 g	352.00	
-----------	-------	--------	--

A.C.S. Specifications

Assay (As ₂ O ₃)	99.95 - 100.05%
Residue after ignition	.02% max.
Insoluble in dilute HCl	.01% max.
Chloride (Cl)	.005% max.
Sulfide (S)	.P.T.
Antimony (Sb)	.05% max.
Lead (Pb)	.002% max.
Iron (Fe)	.5 ppm max.

L- Ascorbic Acid, Reagent, A.C.S.

C₆H₈O₆ FW 176.13
CAS 50-81-7

08970-140	100 g	37.08	6X100 g	177.95
08970-300	500 g	144.02	6X500 g	691.20
08970-380	2 kg	355.05		

A.C.S. Specifications

Assay (C ₆ H ₈ O ₆)	.99.0% min.
Specific Rotation [α] _D ²⁵	+21.0° ± 0.5°
Residue after ignition	.01% max.
Heavy metals (as Pb)	.002% max.
Iron (Fe)	.001% max.

L- Ascorbic Acid, Lab-Grade

C₆H₈O₆ FW 176.13
CAS 50-81-7

08988-140	100 g	34.06	6X100 g	163.64
08988-300	500 g	132.45	6X500 g	635.75

Balsam, Canada

CAS 8007-47-4

09200-320	500 mL	228.28	
-----------	--------	--------	--

Paper Filtered

Barium Standard, Atomic Absorption

09284-160	100 mL	18.12	
09284-320	500 mL	46.75	

Actual Assay on the label

1000 µg/mL Ba (7.28 mmol. l⁻¹)

In dilute HNO₃

Traceable to NIST standards